01-21-03

PTO/SB/21 (08-00)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

TRANSMIT [®]	TAL
FORM	

(to be used for all correspondence after initial filing)

Application Number	09/992,957		
Filing Date	11/13/2001		
First Named Inventor	Hans Herweijer et al.		
Group Art Unit	DECE		

		L'arrimer manie	9 200
Total Number of Pages in This Subm	nission 324	Attorney Docket Number	er 25.01 JAN 2 2 ?00
	ENCL	OSURES (check	call that apply) TECH CENTER 16
Fee Transmittal Form Fee Attached Amendment / Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53	Assignr (for an / Drawing Licensir Petition Provisio Change Address Termina Reques	nent Papers Application) g(s) ng-related Papers to Convert to a onal Application of Attorney, Revocation e of Correspondence	After Allowance Communication to Group Appeal Communication to Board of Appeals and Interferences Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please identify below):
SIGNATI	JRE OF APPLI	CANT, ATTORNEY, OR	AGENT
Firm or Individual name Signature Date		12/27/2002	
	CERTIFICA	ATE OF MAILING	
I hereby certify that this correspondence is being mail in an envelope addressed to: Commissioner	deposited with th for Patents, Was	ne United States Postal Serv	
Typed or printed name Mark K, Joh	nson	<u>, </u>	<u> </u>
Signature \ \ \ \ \ /	1	Dat	12/27/2002

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

#6 1/24/05 DD

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Hans Herweijer,)	RECEIVED
Jon A. Wolff, Aaron G. Loomis, Vladimir S. Trubetskoy and)	. 9 8 2003
Mary Kay Bates))	TECH CENTER 1600/2900
Serial No.: 09/992,957))	/Eou a
Filed: November 13, 2001)	
Group Art Unit:	.)	

For: METHODS FOR GENETIC IMMUNIZATION For: INHIBITION OF GENE EXPRESSION BY DELIVERY OF SMALL INTERFERING RNA TO POST-EMBRYONIC ANIMAL CELLS IN VIVO

INFORMATIONAL STATEMENT

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Pursuant to 37 C.F.R. 1.56, applicant hereby calls to the attention of the Patent and Trademark Office the publications listed on the attached PTO 1449. One copy of each publication is attached.

UNITED STATES PATENTS

Inventor	Issue Date
FOREIGN PATENTS	
Inventor	Issue Date
	FOREIGN PATENTS

REFERENCES CITED

Svoboda et al., "RNAi in mouse oocytes and preimplantation embryos: effectiveness of hairpin dsRNA," Biochemical and Biophysical Research Communication; 2001, vol. 287, pp. 1099-1104

Trubetskoy et al., "quantitative assessment of DNA condensation," Analytical Biochemistry; 1999, vol. 267, pp. 309-313

Suter et al., "BAC-VAC, a novel generation of (DNA) vaccines: A bacterial artificial chromosome (BAC) containing a replication-competent, packaging –defective virus genome induces protective immunity against herpes simplex virus 1," PNAS; 1999, vol. 96 no. 22

Trubetskoy et al., "Layer-by-layer deposition of oppositely charged polyelectrolytes on the surface of condensed DNA particles," Nucleic Acids Research; 1999, vol. 27, no. 15, pp. 3090-3095

Trubetskoy et al., "Self-assembly of DNA-polymer complexes using template polymerization," Nucleic Acids Research; 1998, vol. 26, no. 18, pp. 4178-4185

Trubetskoy et al., "Caged DNA does not aggregate in high ionic strength solutions," Bioconjugate Chem; 1999, vol. 10, pp. 624-628

Krieg et al., "The role of CpG dinucleotides in DNA vaccines," Trends in Microbiology; 1998, vol. 6, no. 1

Lipford et al., "Bacterial DNA as immune cell activator," Trends in Microbiology; 1998, vol. 6, no. 12

Akbari et al., "DNA vaccination: transfection and activation of dendritic cells as key events for immunity," The Rockefeller University Press; 1999, vol. 189, no. 1, pp. 169-177

Iwasaki et al., "Enhanced CTL responses mediated by plasmid DNA immunogens encoding costimulatory molecules and cytokines," The Journal of Immunology; 1997, vol. 158, pp. 4591-4601

Etchart et al., "Class I-restricted CTL induction by mucosal immunization with naked DNA encoding measles virus haemagglutinin,' Journal of General Virology; 1997, vol. 78, pp. 1577-1580

Herrmann et al., "Immune responses and protection obtained by oral immunization with rotavirus VP4 and VP7 vaccines encapsulated in microparticles," Virology; 1999, vol. 259, pp. 148-153

Kaneko et al., "Oral DNA vaccination promoted mucosal and systemic immune responses to HIV envelope glycoprotein," Virology; 2000, vol. 167, pp. 8-16

Chen et al., "Protective immunity induced by oral immunization with a rotavirus DNA vaccine encapsulated in microparticles," Journal of Virology; 1998, pp. 5757-5761

Gregoriadis et al., "Liposome-mediated DNA vaccination," REBS Letters; 1997, vol. 402, pp. 107-110

MacGregor et al., "First Human Trial of a DNA-Based Vaccine for Treatment of Human Immunodeficiency Virus Type 1 Infection: Saftey and Host Response," The Journal of Infectious Diseases; 1998, vol. 178, pp. 92-100

Donnelly et al., "DNA Vaccines," Life Sciences; 1997, vol. 60, no. 3, pp. 163-172

Tomasi "Introduction: an overview of the mucosal system," Handbook of Mucosal Immunology

Fasano "Novel approaches for oral delivery of macromolecules," Journal of Pharmaceutical Sciences; 1998, vol. 87, no. 11

Jackson et al., "Preparation and properties of totally synthetic immunogens," Vaccine; 2000, vol. 18, pp. 355-361

DeNoon et al., "Conference coverage (ECP) combination vaccines): CEO: Biotech Breakthrough could shake vaccine industry," Aidsweekly Plus; 1998

DeNoon "Conference coverage (ECP! Combination vaccines) 2202 vaccine market: \$7 billion," newsrx.com; 1998

Irache et al., "Bioadhesion of lectin-latex conjugates to rat intestinal mucosa," Pharmaceutical Research; 1996, vol. 13, no. 11

Shefner et al., "A novel class of anti-DNA antibodies identified in BALB/c mice," The Rockerfeller University Press; 1991, vol. 173, pp. 287-296

Eilat et al., "Monoclonal antibodies to DNA and RNA from NZB/NZW F1 mice: antigenic specificities and NH2 terminal amino acid sequences," The Journal of Immunology; 1984, vol. 133, no. 1

Katsumi et al., "Humoral and cellular immunity to an encoded protein induced by direct DNA injection," Human Gene Therapy; 1994, vol. 5, pp. 1335-1339

Gilkeson et al., "Specificity of andi-DNA antibodies induced in normal mice by immunization with bacterial DNA," Clinical Immunology and Immunopathology; 1991, vol. 59, pp. 288-300

Whiteside et al., "Clinical usefulness of the crithida luciliae test for antibodies to native DNA," Anti-DS DNA in Disease; vol. 72, no. 5

Tron et al., "Relationships between antibodies to native DNA and glomerulonephritis in systemic lupus erythematosus," Clin. Exp. Immunol; 1977, vol. 28, pp.426-432

Nakamura et al., "Microhemagglutination test for detection of antibodies to nuclear sm and ribonucleoprotein antigens in systemic lupus erythematosus and related diseases," Detection of sm and RNP antibodies; 1978, vol. 70, no. 5

Wolff et al., "Long-term persistence of lasmid DNA and foreign gene expression in mouse muscle," Human Molecular Genetics; 1992, vol. 1, no. 6, pp. 363-369

Liebert et al., "What about those monkeys that got T-Cell lymphoma," Human gene Therapy; 1993, vol. 4, pp. 1-2

Liebert et al., "Saftey issues related to retroviral-mediated gene transfer in humans," Human Gene Therapy; 1991, vol. 2, pp. 5-14

Lahijani et al., "Quantitation of host cellDNA contaminate in pharmaceutical-grade plasmid DNA using competitive polymerase chain reaction and enzyme-linked immunosorbent assay," Human Gene Therapy; 1998, vol. 9, pp. 1173-1180

Lahijani et al., "High-yield production of pBR322-derived plasmids intended for human gene therapy by employing a temperature-controllable point mutation," Human Gene Therapy; 1996, vol. 7, pp. 1971-1980

Boyle "Disease and fertility control in wildlife and feral animal populations: options for vaccine delivery using vectors," Teprod. Fertil. Dev.; 1994, vol. 6, pp. 393-400

Sato et al., "Immunostimulatory DNA sequences necessary for effective intradermal gene immunization," Science; 1996, vol. 273

Roman et al., "Immunostimulatory DNA sequences function as T helper-1-promoting adjuvants," Nature Medicine; 1997, vol. 3, no. 8

Leclerc et al., "The preferential induction of a TH1 immune response by DNA-based immunization is mediated by the immunostimulatory effect of plasmid DNA," Cellular Immunology; 1997, vol. 179, pp. 97-106

Fu et al., "Primin of cytotoxic T lymphocytes by DNA vaccines: requirement for professional antigen presenting cells and evidence for antigen transfer from myocytes," Molecular Medicine; 1997, vol. 3, no. 6

Kim et al., "Engineering of in vivo immune responses to DNA immunization via codelivery of costimulatory molecule genes," Nature Biotechnology; 1997, vol. 15

Chow et al., "Development of TH1 and Th2 populations and the nature of immune responses to hepatitis B virus DNA vaccines can be modulated by codelivery of various cytokine genes," The Journal of Immunology; pp.1320-1329

Xiang et al., "Manipulation of the immune response to a plasmid-encoded viral antigen by coinoculation with plasmids expressing cytokines," Immunity; 1995, vol. 2, pp. 129-135

Pardoll et al., "Exposing the immunology of naked DNA vaccines," Immunity; 1995, vol. 3, pp. 165-169

Quong et al., "DNA protection form extracapsular nucleases, within chitosan- or poly-l-lysine-coated alginated beads,"

Roy et al., "oral gene delivery with chitosan-DNA nanoparticles generates immunologic protection in a murine model of peanut allergy," Nature Medicine; 1999, vol. 5, no. 4

Alapar et al., "Potential of particulate carriers for the mucosal delivery of DNA vaccines," Biochemical Socienty Transactions; 1997, vol. 25, p. 3378

Jones et al., "Poly(DL-lactide-co-glycolide)-encapsulated plasmid DNA elicites systemic and mucosal antibody responses to encoded protein after oral administration," Vaccine, 1997, vol. 15, no. 8, pp. 814-817

Ermak et al., "Uptake and transport of copolymer biodegradable microspheres by rabbit peyer's patch M cells," Cell Tissue Res; 1995, vol. 279, pp. 433-436

Florence et al., "Factors affecting the oral uptake and translocation of polystyrene nanoparticles: histological and analytical evidence," Journal of Drug Targeting; 1995, vol. 3, pp. 65-70

Bockman et al., "Pinocytosis by epithelium associated with lymphoid follicles in the bursa of fabricius, appendix, and peyer's patches. An electron microscope study," Am. J. Anat.; vol. 136, pp. 455-478

Mathiowitz et al., "Biologically erodable microspheres as potential oral drug delivery systems," Nature; 1997, vol. 386

Ishii et al., "cationic liposomes are a strong adjuvant for a DNA vaccine of human immunodeficiency virus type 1," Aids Research and Human Retroviruses; 1997, vol. 13, no. 16

Jiao et al., "Direct gene transfer into nonhuman primate myofibers in vivo," Human Gene Therapy; 1992, vol. 3, pp. 21-33

Wang et al., "Induction of antigen-specific cytotoxic T lymphocytes in a humans by a malaria DNA vaccine," Science; 1998, vol. 282

Ulmer et al., "Heterologous protection against influenza by injection of DNA encoding a viral protein," Science; 1993, vol. 259

Acsadi et al., "Direct gene transfer and expression into rat heart in vivo," The New Biologist; 1991, vol. 3, no. 1, pp. 71-81

Tang et al., "Genetic immunization is a simple method for eliciting an immune response," Nature; 1992, vol. 356

Wolff et al., "Direct gene transfer into mouse muscle in vivo," Science; 1990, vol. 247, pp. 1465-1468

Ulmer et al., "Generation of MHC class I-restricted cytotoxic T lymphocytes by expression of a viral protein in muscle cells: antigen presentation by non-muscle cells," Immunology; 1996, vol. 89, pp. 59-67

Donnelly et al., "DNA vaccines," Annu. Rev. Immunol.; 1997, vol. 15, pp. 617-648

Suhrbier "Multi-epitope DNA vaccines," Immunology and Cell Biology; 1997, vol. 75, pp. 402-408

Respectfully submitted,

Mark K. Johnson

Reg. No. 35,909

Mirus

505 South Rosa Road Madison, WI 53719 (608)238-4400 I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail in an envelope addressed to: Gommissioner for Patents, Washington, D.C. 20231 on

L _ J

JAN 1 8 2003 3



JAN 2 2 2003

INFORMATION DESCLOSURE STATEMENT BY APPLICANT		Attorney Docket No 25.01	TEC	H CENTER	09/992,95			
FORM F			-				:	
PORIVIT	- 10-144	, 		Applicant: Hans	Herweije	r, et al.	Group:	
						٠		
							Examiner	:
			U.S. PA	TENT DOCUMENTS	3			
Exmnr intl	Seq	Patent Number	Issue Date	Patentee	Class	Sub Class	Filing Date	
		FOREIGN PA	TENT OR PUB	LISHED FOREIGN P	ATENT AP	PLICATION	l L	
			Publ.	Country or	01	Sub		insl.
	<u> </u>	Document Number	Date	Patent Office	Class	Class	Yes	No
}						į		
					1			
OTHER		MENTS (Including A	thor Title Date	Pertinent Pages, etc	.)	<u> </u>	<u> </u>	<u> </u>
7	1			e oocytes and prein		n embryos:	effectivene	ess of
		hairpin dsRNA," pp. 1099-1104	Biochemical:	and Biophysical Re	search Co	mmunicati	on; 2001, v	ol. 287,
	•	Trubetskoy et al. Biochemistry; 19		assessment of DNA	A condens	ation," An	alytical	_
	•	Suter et al., "BA	C-VAC, a nov	vel generation of (D				
chromosome (BAC) containing a replication-competent, pac genome induces protective immunity against herpes simplex								
		no. 22						
				yer deposition of op ticles," Nucleic Aci				
		3090-3095		deles, 1 (delete 1 let	us resour			
	,	•		oly of DNA-polyme s Research; 1998, v	-	_	-	
	<u> </u>			does not aggregate				5,"
	3			10, pp. 624-628				
		Krieg et al., "The 1998, vol. 6, no.		dinucleotides in DN	A vaccine	es," Trends	ın Microbi	ology;
	·			as immune cell acti	vator," Tr	ends in Mi	crobiology;	1998,

RECEIVED

JAN 2 2 2003

TECH CENTER 1600/2900

<u> </u>		TECH CENTER 1600/2900
TENT & TE	ADELL	vol. 6, no. 12
		Akbari et al., "DNA vaccination: transfection and activation of dendritic cells as key events for immunity," The Rockefeller University Press; 1999, vol. 189, no. 1, pp. 169-177
		Iwasaki et al., "Enhanced CTL responses mediated by plasmid DNA immunogens encoding costimulatory molecules and cytokines," The Journal of Immunology; 1997, vol. 158, pp. 4591-4601
	•	Etchart et al., "Class I-restricted CTL induction by mucosal immunization with naked DNA encoding measles virus haemagglutinin,' Journal of General Virology; 1997, vol. 78, pp. 1577-1580
	•	Herrmann et al., "Immune responses and protection obtained by oral immunization with rotavirus VP4 and VP7 vaccines encapsulated in microparticles," Virology; 1999, vol. 259, pp. 148-153
		Kaneko et al., "Oral DNA vaccination promoted mucosal and systemic immune responses to HIV envelope glycoprotein," Virology; 2000, vol. 167, pp. 8-16
		Chen et al., "Protective immunity induced by oral immunization with a rotavirus DNA vaccine encapsulated in microparticles," Journal of Virology; 1998, pp. 5757-5761
		Gregoriadis et al., "Liposome-mediated DNA vaccination," REBS Letters; 1997, vol. 402, pp. 107-110
	*	MacGregor et al., "First Human Trial of a DNA-Based Vaccine for Treatment of Human Immunodeficiency Virus Type 1 Infection: Saftey and Host Response," The Journal of Infectious Diseases; 1998, vol. 178, pp. 92-100
	•	Donnelly et al., "DNA Vaccines," Life Sciences; 1997, vol. 60, no. 3, pp. 163-172
•	•	Tomasi "Introduction: an overview of the mucosal system," Handbook of Mucosal Immunology
	•	Fasano "Novel approaches for oral delivery of macromolecules," Journal of Pharmaceutical Sciences; 1998, vol. 87, no. 11
	•	Jackson et al., "Preparation and properties of totally synthetic immunogens," Vaccine; 2000, vol. 18, pp. 355-361
		DeNoon et al., "Conference coverage (ECP) combination vaccines): CEO: Biotech Breakthrough could shake vaccine industry," Aidsweekly Plus; 1998
		DeNoon "Conference coverage (ECP! Combination vaccines) 2202 vaccine market: \$7 billion," newsrx.com; 1998
	4	Irache et al., "Bioadhesion of lectin-latex conjugates to rat intestinal mucosa," Pharmaceutical Research; 1996, vol. 13, no. 11
	• 	Shefner et al., "A novel class of anti-DNA antibodies identified in BALB/c mice," The Rockerfeller University Press; 1991, vol. 173, pp. 287-296
		Eilat et al., "Monoclonal antibodies to DNA and RNA from NZB/NZW F1 mice: antigenic specificities and NH2 terminal amino acid sequences," The Journal of Immunology; 1984, vol. 133, no. 1
	٠	Katsumi et al., "Humoral and cellular immunity to an encoded protein induced by direct DNA injection," Human Gene Therapy; 1994, vol. 5, pp. 1335-1339
	2	Gilkeson et al., "Specificity of andi-DNA antibodies induced in normal mice by immunization with bacterial DNA," Clinical Immunology and Immunopathology; 1991, vol. 59, pp. 288-300

6

	_	
PE	10°	
)	8/	
IAN 1.B	2003 岩	
Jen	Š	
	See See	Whiteside et al., "Clinical usefulness of the crithida luciliae test for antibodies to native
PATENT & T	ALL	DNA," Anti-DS DNA in Disease; vol. 72, no. 5
	_	Tron et al., "Relationships between antibodies to native DNA and glomerulonephritis in
		systemic lupus erythematosus," Clin. Exp. Immunol; 1977, vol. 28, pp.426-432
		Nakamura et al., "Microhemagglutination test for detection of antibodies to nuclear sm and
].	ribonucleoprotein antigens in systemic lupus erythematosus and related diseases," Detection
		of sm and RNP antibodies; 1978, vol. 70, no. 5
	,	Wolff et al., "Long-term persistence of lasmid DNA and foreign gene expression in mouse
		muscle," Human Molecular Genetics; 1992, vol. 1, no. 6, pp. 363-369
-		Liebert et al., "What about those monkeys that got T-Cell lymphoma," Human gene
		Therapy; 1993, vol. 4, pp. 1-2
	,	Liebert et al., "Saftey issues related to retroviral-mediated gene transfer in humans," Huma
		Gene Therapy; 1991, vol. 2, pp. 5-14
	6	Lahijani et al., "Quantitation of host cellDNA contaminate in pharmaceutical-grade plasmi
		DNA using competitive polymerase chain reaction and enzyme-linked immunosorbent
		assay," Human Gene Therapy; 1998, vol. 9, pp. 1173-1180
	•	Lahijani et al., "High-yield production of pBR322-derived plasmids intended for human
		gene therapy by employing a temperature-controllable point mutation," Human Gene
	ļ.,	Therapy; 1996, vol. 7, pp. 1971-1980
	٤	Boyle "Disease and fertility control in wildlife and feral animal populations: options for
	l ,	vaccine delivery using vectors," Teprod. Fertil. Dev.; 1994, vol. 6, pp. 393-400
		Sato et al., "Immunostimulatory DNA sequences necessary for effective intradermal gene
		immunization," Science; 1996, vol. 273
	÷	Roman et al., "Immunostimulatory DNA sequences function as T helper-1-promoting
		adjuvants," Nature Medicine; 1997, vol. 3, no. 8
	•	Leclerc et al., "The preferential induction of a TH1 immune response by DNA-based
		immunization is mediated by the immunostimulatory effect of plasmid DNA," Cellular
		Immunology; 1997, vol. 179, pp. 97-106
	*	Fu et al., "Primin of cytotoxic T lymphocytes by DNA vaccines: requirement for
		professional antigen presenting cells and evidence for antigen transfer from myocytes,"
-		Molecular Medicine; 1997, vol. 3, no. 6
	<u> </u>	Kim et al., "Engineering of in vivo immune responses to DNA immunization via codeliver
	<u> </u>	of costimulatory molecule genes," Nature Biotechnology; 1997, vol. 15
		Chow et al., "Development of TH1 and Th2 populations and the nature of immune
		responses to hepatitis B virus DNA vaccines can be modulated by codelivery of various
		cytokine genes," The Journal of Immunology; pp.1320-1329
	•	Xiang et al., "Manipulation of the immune response to a plasmid-encoded viral antigen by
		coinoculation with plasmids expressing cytokines," Immunity; 1995, vol. 2, pp. 129-135
	,	Pardoll et al., "Exposing the immunology of naked DNA vaccines," Immunity; 1995, vol. 3
		pp. 165-169
	4 ^t	Quong et al., "DNA protection form extracapsular nucleases, within chitosan- or poly-l-
-		lysine-coated alginated beads,"
•		Roy et al., "oral gene delivery with chitosan-DNA nanoparticles generates immunologic
		protection in a murine model of peanut allergy," Nature Medicine; 1999, vol. 5, no. 4

JAN 18 S	
PATENT & TRADE	Alapar et al., "Potential of particulate carriers for the mucosal delivery of DNA vaccines," Biochemical Socienty Transactions; 1997, vol. 25, p. 3378
,	Jones et al., "Poly(DL-lactide-co-glycolide)-encapsulated plasmid DNA elicites systemic and mucosal antibody responses to encoded protein after oral administration," Vaccine, 1997, vol. 15, no. 8, pp. 814-817
•	Ermak et al., "Uptake and transport of copolymer biodegradable microspheres by rabbit peyer's patch M cells," Cell Tissue Res; 1995, vol. 279, pp. 433-436
	Florence et al., "Factors affecting the oral uptake and translocation of polystyrene nanoparticles: histological and analytical evidence," Journal of Drug Targeting; 1995, vol. 3, pp. 65-70
,	Bockman et al., "Pinocytosis by epithelium associated with lymphoid follicles in the bursa of fabricius, appendix, and peyer's patches. An electron microscope study," Am. J. Anat.; vol. 136, pp. 455-478
·	Mathiowitz et al., "Biologically erodable microspheres as potential oral drug delivery systems," Nature; 1997, vol. 386
	Ishii et al., "cationic liposomes are a strong adjuvant for a DNA vaccine of human immunodeficiency virus type 1," Aids Research and Human Retroviruses; 1997, vol. 13, no. 16
,	Jiao et al., "Direct gene transfer into nonhuman primate myofibers in vivo," Human Gene Therapy; 1992, vol. 3, pp. 21-33
•	Wang et al., "Induction of antigen-specific cytotoxic T lymphocytes in a humans by a malaria DNA vaccine," Science; 1998, vol. 282
•	Ulmer et al., "Heterologous protection against influenza by injection of DNA encoding a viral protein," Science; 1993, vol. 259
	Acsadi et al., "Direct gene transfer and expression into rat heart in vivo," The New Biologist; 1991, vol. 3, no. 1, pp. 71-81
	Tang et al., "Genetic immunization is a simple method for eliciting an immune response," Nature; 1992, vol. 356
	Wolff et al., "Direct gene transfer into mouse muscle in vivo," Science; 1990, vol. 247, pp. 1465-1468
	Ulmer et al., "Generation of MHC class I-restricted cytotoxic T lymphocytes by expression of a viral protein in muscle cells: antigen presentation by non-muscle cells," Immunology; 1996, vol. 89, pp. 59-67
,	Donnelly et al., "DNA vaccines," Annu. Rev. Immunol.; 1997, vol. 15, pp. 617-648
	Suhrbier "Multi-epitope DNA vaccines," Immunology and Cell Biology; 1997, vol. 75, pp. 402-408

Examiner: Initial citation considered. Draw line through citation if not in conformance and not Considered. Include copy of this form with next Action to applicant